




**NEPTUN·SUB**

**ROV RB300 MINI Specification**

<b>Depth Rating</b>	<b>Maximum Depth</b>	<b>200 m</b>
<b>Propulsion</b>	Vertical Thruster	Two (1.3 kg each)
	Horisontal Thruster	Two (1.3 kg each)
	Lateral Thruster	One (1.3 kg)
	Speed	0-1.25m/sec
<b>Cable on reel with sliprings</b>	Lenght standard	220 m (optional 600 m)
<b>Depth</b>	Pressure sensor	Include
	Depth control	Manual/Auto
<b>Heading</b>	Compass	Included
<b>Controller</b>	Controller functions	Mai Power, Depth, Lights, Camera Tilt, Speed, Menu
<b>Monitor</b>	Monitor built in case	15" LED
<b>Ligtning</b>	Front / Rear Lights	6 x10 Watt LED Variable intensity
<b>Camera(s)</b>	Colour	Colour
	Resolution	600 line
	Sensitivity	0.3 lux
	Lens	Wide angle
	Focus	Fixed
	Tilt	270°
	Rear/Side Camera	Yes
<b>ROV Dimensions</b>	Lenght	430 mm
	Width	350 mm
	Height	300 mm
<b>ROV Weight</b>	Width	8 kg in air, neutral in water
<b>Electrical</b>	Power Consumption	400 Watts

### **Additional equipment (optional):**

<b>USBL Tracking System</b>	TRITECH MicronNav
<b>Sonar</b>	TRITECH
<b>Real-time visibility enhancer</b>	LYYN HAWK PORTABLE
<b>Image scaling, point or ranging</b>	Lasepointer
<b>Generator</b>	HONDA EU 10 i



**CONTACT US FOR MORE INFORMATION:**

+385 (0) 22 331 444 /// +385 (0) 22 310 256

[www.neptun-sub.hr](http://www.neptun-sub.hr)

[neptun@si.t-com.hr](mailto:neptun@si.t-com.hr)